# SmartRemote (Retail)



Product code: 77010600



#### Checking your Mastervolt product has never been easier

The SmartRemote completes any MasterBus or CZone\* system. With its good looks and compact size, the SmartRemote is ideal as a remote panel in entry level power systems or as a local device readout in larger systems. Applications include boats, vehicles and stationary systems.

#### Local device monitoring

Mastervolt products enable intelligent power systems with advanced multi-device monitoring and control. However, in situations where the local device readout is hard to reach or too limited, an entry-level color display for local device monitoring would be ideal. This is where the SmartRemote comes in.

#### Easy to use

The new SmartRemote single-device display is unique in many ways. It communicates with Mastervolt devices\*\*, shows key parameters, allows simple device settings and is fun to use. Checking your batteries, adjusting your shore fuse or controlling your Mastervolt charger/inverter has never been easier.

#### **Easy to install**

The SmartRemote display can be panel mounted or may be integrated into a Blue Sea Systems Custom 360 bezel. Connection is easy as 1-2-3: simply click the network cable into a Mastervolt device and off you go.

#### **Features**

- · Full color display for local device monitoring.
- · Displays four key parameters.
- · Control key device functions.
- · CZone\* and MasterBus network compatible.
- · Universal, easy mounting.
- Plug & Play no configuration, no power supply needed.
- Blue Sea Systems Custom 360 integration.

### Think Global, Act Local... Smart Remote!

(\*) Full CZone compatibility expected September 2019.

(\*\*) SmartRemote supports CombiMaster communication over the MasterBus network. Support for Mastervolt battery chargers, inverters, charger/inverters, MLI batteries and MasterShunt devices is under development. Wondering if your device is supported? Check the Downloads section below or contact your dealer.



# Specifications

## **General specifications**

Interfaces Display/read-out Mounting

Protection degree Dimensions, hxwxd

Weight

Delivered with

# **Technical specifications**

Power consumption

CZone, MasterBus 2.8 inch, 320 x 240 pixels, high colour panel mount (cutout: Ø 52 mm / 2 inch, 4 screws included); Blue Sea 360 panel mount (locking ring included) IP20 72 x 72 x 29.4 mm 2.8 x 2.8 x 1.2 inch 0.075 kg 0.2 lb MasterBus cable (6 mtr), Mastervolt-CZone drop cable (1 mtr), manual

Bus powered, < 160 mW (idle mode)

